A LIST AND BIBLIOGRAPHY OF THE MAMMALS OF FLORIDA, LIVING AND EXTINCT

H. B. SHERMAN University of Florida

Much of the information contained in this article has been available, in mimeographed form, to students of mammalogy at the University of Florida for several years. A number of students and former students have added references and made corrections. While space does not permit mentioning all of these, Dr. B. A. Barrington, Jr., Mr. Joseph C. Moore and Dr. George H. Pournelle have been especially helpful in this work. References to certain obscure publications, some of which I have not seen, have been furnished me by Dr. Remington Kellogg, Director of the U. S. National Museum, and also by Mrs. Venia T. Phillips, Librarian of the Academy of Natural Sciences of Philadelphia.

The inclusion of fossil mammals, with which the author has had but little experience, is facilitated by the lists of Sellards, 1916a; Simpson, 1930d; and Kellogg, 1944, each of which contains a valuable summary. Dr. Theodore E. White has been the most active author contributing to our knowledge of the fossil mammals of the state in recent years and I am indebted to him for criticizing the list presented here. Through his advice, *Hexabelomeryx* and *Hexameryx* are listed as separate genera, instead of referring *Hexameryx* to *Hexabelomeryx* as in Simpson 1945b, p. 157. Also, Dr. White states that his record of *Megatherium hudsoni* from the Pliocene, 1941a, was due to erroneous collection data and that it is of Pleistocene age. Dr. R. A. Stirton has furnished advice concerning Miocene and Pliocene members of the Equidae. In regard to Pleistocene mammals, Mr. H. James Gut has supplied information which would otherwise have been missed.

The lists of recent mammals is largely the result of bringing up to date the lists of Sherman, 1937b and 1945b, and the inclusion of marine forms. In regard to the latter, the work of Mr. Joseph C. Moore, which is to appear soon in the *American Midland Naturalist*, has been most useful.

While it is a pleasure to acknowledge the assistance received from the various individuals mentioned above, the use made of information which they supplied, as well as omissions and errors which may be present, is the responsibility of the author.

A LIST OF THE MAMMALS OF FLORIDA, LIVING AND EXTINCT

Order MARSUPIALIA.—Opossums, Kangaroos, etc.

Family DIDELPHIDAE—Opossums.

Didelphis virginiana Kerr. 1792.—North American

Opossum. Pleistocene

Dedilphis virginiana pigra Bangs. 1898.—Florida Opossum. Recent

Order INSECTIVORA.—Moles, Shrews, etc.

Family TALPIDAE.—Moles.

Scalopus aquaticus (Linnaeus). 1758.—Eastern Mole. Pleistocene Scalopus aquaticus howelli Jackson. 1914.—Howell's Mole. Recent Scalopus aquaticus australis (Chapman). 1893.

Florida Mole. Recent

Scalopus aquaticus anastasae (Bangs). 1898.

Anastasia Island Mole. Recent

Scalopus aquaticus parvus (Rhoads). 1894.—Little Mole. Recent Scalopus aquaticus bassi A. H. Howell. 1939.—Bass's Mole. Recent

Family Soricidae.—Shrews.

Sorex longirostris longirostris Bachman. 1837.

Bachman Shrew.

Recent

Cryptotis floridana (Merriam). 1895.

Florida Short-tailed Shrew.

Pleistocene—

Recent

Blarina brevicauda (Say). 1823.—Short-tailed Shrew. Pleistocene Blarina brevicauda carolinensis (Bachman). 1837.

Carolina Short-tailed Shrew.

Recent

Blarina brevicauda penisulae (Merriam). 1895.

Everglades Short-tailed Shrew.

Recent

Order CHIROPTERA.—Bats.

Family Vespertilionidae.

Suaptenes whitei Lawrence. 1943. Miocene Miomyotis floridanus Lawrence. 1943. Miocene

Myotis austroriparius austroriparius (Rhoads). 1897. Little Southeastern Brown Bat. Recent Myotis grisescens A. H. Howell. 1909.—Little Gray Bat. Recent Pipistrellus s. subflavus (F. Cuvier). 1832.—Georgian Bat. Recent Eptesicus fuscus osceola Rhoads. 1902. Florida Big Brown Bat. Recent Lasiurus borealis borealis (Muller). 1776.—Red Bat. Recent Lasiurus seminolus (Rhoads). 1895.— Seminole Bat. Recent Lasiurus cinereus (Beauvois). 1796.—Hoary Bat. Recent Dasypterus floridanus Miller. 1902.—Florida Yellow Bat. Recent Nycticeius humeralis humeralis (Rafinesque). Rafinesque Bat. Recent Nycticeius humeralis subtropicalis Schwartz. 1951. Florida Rafinesque Bat. Recent Corynorhinus macrotis (LeConte). 1831. LeConte Lump-nosed Bat. Recent Family Molossidae.—Free-tailed Bats. Molossides floridanus G. M. Allen. Pleistocene Tadarida cynocephala (LeConte). 1831. LeConte Free-tailed Bat. Recent Eumops glaucinus (Wagner). 1843. Glaucous Free-tailed Bat. Recent Order PRIMATES.—Lemurs, Monkeys, Marmosets, Apes, Man, etc. Family Hominidae.—Man. Homo sapiens Linnaeus. 1758.—Man. Pleistocene— Recent Order CARNIVORA.—Carnivores. Suborder Fissipeda.—Land Carnivores. Family Ursidae.—Bears. Agriotherium schneideri Sellards. 1916.—Bear-dog. Pliocene Arctodus floridanus Gidley. Florida Short-faced Bear. Pleistocene Euarctos sp. Simpson. 1930b.—Black bear. Pleistocene Euarctos floridans (Merriam). Florida Black Bear. Pleistocene-

Recent

Recent

Family Procyonidae.—Raccoons, Pandas, Coati, etc.
Procyon nanus Simpson. 1929. Pleistocene
Procyon lotor (Linnaeus). 1758.—Raccoon. Pleistocene
Procyon lotor elucus Bangs. 1898.—Florida Raccoon. Recent
Procyon lotor varius Nelson and Goldman. 1930.
Alabama Raccoon. Recent
Procyon lotor marinus Nelson. 1930.
Chokoloskee Raccoon. Recent
Procyon lotor inesperatus Nelson. 1930.
Matecumbe Raccoon. Recent
Procyon lotor auspicatus Nelson. 1930.
Key Vaca Raccoon. Recent
Procyon lotor incautus Nelson. 1930.
Torch Key Raccoon. Recent
Family Mustelidae.—Weasels, Mink, Otters, etc.
Aelurocyon spissidens White. 1947. Miocene
Oligobunis floridanus White. 1947. Miocene
Mephitataxus ancipidens White. 1941. Miocene
Leptarctus progressus Simpson. 1930. Pliocene
Mustela frenata peninsulae (Rhoads). 1894.
Florida Weasel. Pleistocene—
Recent
Mustela frenata olivacea Howell. 1913.—Alabama Weasel. Recent
Mustela vison lutensis (Bangs). 1898.—Florida Mink. Recent
Mustela vison evergladensis Hamilton. 1948.
Everglades mink. Recent
Lutra canadensis (Schreber). 1776.—Otter. Pleistocene
Lutra canadensis vaga (Bangs). 1898.—Florida Otter. Recent
Spilogale ambarvalis Bangs. 1898.
Florida Spotted Skunk. Pleistocene—
Recent
Spilogale putorius (Linnaeus). 1758.
Alleghenian Spotted Skunk. Miocene—
Recent
Mephitis mephitis elongata (Bangs). 1895.—Florida Skunk.
Pleistocene—

Family Canidae.—Dogs, Wolves, Foxes, etc.

,	
Daphaenus caroniavorus White. 1942.	Miocene
Amphicyon pontoni Simpson. 1930.	Miocene
Amphicyon longiramus White. 1942.	Miocene
Amphicyon intermedius White. 1940.	Miocene
Parictis bathygenus White. 1947.	Miocene
Nothocyon insularis White. 1942.	Miocene
Tomarctus thomasi White. 1941.	Miocene
Tomarctus canavus (Simpson). 1932.	Miocene
Aelurodon johnhenryi White. 1947.	Miocene
Temnocyon sp. Simpson. 1932.	Miocene
Paradaphaenus noblis (Simpson). 1932.	Miocene
Paradaphaenus tropicalis White. 1942.	Miocene
Mesocyon iamonensis (Sellards). 1916.	Miocene
Pliogulo dudleyi White. 1941.	Pliocene
Urocyon seminolensis Simpson. 1929.	
Extinct Gray Fox.	Pleistocene
Urocyon cinereoargenteus Schreber. 1775.—Gray Fox.	Pleistocene
Urocyon cinereoargenteus floridanus Rhoads. 1895.	
Florida Gray Fox.	Recent
Vulpes palmaria Hay. 1917.—Extinct Red Fox.	Pleistocene
Canis ayersi Sellards. 1916.—Dire Wolf.	Pleistocene
Canis riviveronis Hay. 1917.—Extinct Florida Coyote.	Pleistocene
Canis niger niger (Bartram). 1791.—Florida Wolf.	Recent

Family Felidae.—Cats, Pumas, Jaguars, Lions, Tigers, etc.

Felis inexpectata (Cope). 1895.—Extinct Puma. Pleistocene Felis concolor coryi Bangs. 1899.—Florida Puma. Recent Panthera augusta (Leidy). 1872.—Jaguar. Pleistocene Smilodon floridanus (Leidy). 1899.

Florida Saber-tooth Tiger. Pleistocene Lynx rufus Schreber. 1777.—Bobcat. Pleistocene Lynx rufus floridanus (Rafinesque). 1817.—Florida Bobcat. Recent

Suborder Pinnipedia.—Seals, Sea Lions, and Walruses.

Family PHOCIDAE.—True Seals.

Monachus tropicalis (Gray). 1850.—Monk Seal. Recent Cystophora cristata (Erxleben). 1777.—Hooded Seal. Recent

Order RODENTIA.—Rodents.

Family SCIURIDAE.—Squirrels.

Sciurus carolinensis carolinensis Gmelin. 1788.

Southern Gray Squirrel.

Recent

Pleistocene—

Sciurus carolinensis extimus Bangs. 1896.—Everglades

Gray Squirrel. Recent

Sciurus carolinensis matecumbei H. H. Bailey. 1937.

Key Largo Gray Squirrel. Recent

Sciurus niger niger Linnaeus. 1758.

Southern Fox Squirrel. Recent

Sciurus niger avicennia A. H. Howell. 1919.—Mangrove

Fox Squirrel. Recent

Glaucomys volans querceti (Bangs). 1896.

Florida Flying Squirrel. Recent

Glaucomys volans saturatus A. H. Howell. 1915.

Southeastern Flying Squirrel. Recent

Family MYLAGAULIDAE.

Mesogaulus sp. Wood. 1947.

Miocene

Family Erethizontidae.—Porcupines.

Erethizon dorsatum (Linnaeus). 1758.

Eastern Porcupine. Pleistocene

Family Hydrochoeridae.—Capybara.

Hydrochoerus holmesi Simpson. 1928.

Extinct Capybara. Pleistocene Neochoerus pinckneyi (Hay). Giant capybara. Pleistocene

Family Geomyidae.—Pocket Gophers, Salamanders.

Plesiothomomys orientalis (Simpson). 1928.

Extinct Western Pocket Gopher. Pleistocene

Geomys pinetis Rafinesque. 1817.—Pocket Gopher. Pleistocene

Geomys pinetis mobilensis Merriam. 1895.

Alabama Pocket Gopher. Recent

Geomys pinetis floridanus (Audubon and Bachman). 1854.

Florida Pocket Gopher. Recent

Geomys pinetis austrinus Bangs. 1898.

Southeastern Pocket Gopher. Recent

Geomys pinetis goffi Sherman. 1944.—Goff's Pocket Gopher. Recent

Family HETEROMYIDAE.—Pocket Rats and Mice, Kangaroo Rats and Mice, etc.

Proheteromys floridanus Wood. 1932. Proheteromys magnus Wood. 1932.

Miocene Miocene

Family Castoridae.—Beavers.

Castoroides ohioensis Foster. 1838.—Giant Beaver. Pleistocene Castor canadensis Kuhl. 1820.—Beaver. Pleistocene

Castor canadensis carolinensis Rhoads. 1898.

Carolina Beaver.

Recent

Family Cricetidae.—New World Rats and Mice.

Reithrodontomys humulis humulis (Audubon and

Bachman). 1841.—Eastern Harvest Mouse. Pleistocene—

Recent

Peromyscus sp. Gut. 1939.—Deer Mouse.

Pleistocene

Peromyscus polionotus polionotus (Wagner). 1843. Old Field Mouse.

Peromyscus polionotus rhoadsi (Bangs).

Recent

Rhoads White-footed Mouse.

Peromyscus polionotus decoloratus Howell. 1939.

Recent Recent

Pallid Beach Mouse.

Peromyscus polionotus niveiventris (Chapman). 1889.

Micco Beach Mouse.

Recent

Peromyscus polionotus phasma (Bangs). 1898.—Anastasia

Island Beach Mouse. Recent

Peromyscus polionotus albifrons Osgood. 1909.

White-fronted Beach Mouse. Recent

Peromyscus polionotus peninsularis Howell. 1939.

St. Andrews Beach Mouse. Recent

Peromyscus polionotus leucocephalus Howell. 1920.

White-headed Beach Mouse. Recent

Peromyscus gossypinus gossypinus (LeConte). 1853.

Cotton Mouse. Pleistocene—

Recent

Peromyscus gossypinus restrictus Howell. 1939.

Chadwick's Beach Cotton Mouse. Recent

Pleistocene

Peromyscus gossypinus palmarius Bangs. 1896.—Florida	
Cotton Mouse.	Recent
Peromyscus gossypinus anastasae Bangs. 1898.—Anastasi	a
Island Cotton Mouse.	Recent
Peromyscus nuttalli aureolus (Audubon and Bachman).	
1841.—Southern Golden Mouse.	Recent
Peromyscus floridanus (Chapman). 1889.	
Florida White-footed Mouse. Pleist	tocene—
	Recent
Oryzomys sp. Gut. 1939.—Rice Rat. Ple	eistocene
Oryzomys palustris palustris (Harlan). 1837.	
	tocene—
	Recent
Oryzomys palustris coloratus Bangs. 1898.	
Everglades Rice Rat.	Recent
Oryzomys palustris natator Chapman. 1893.	
Central Florida Rice Rat.	Recent
Sigmodon hispidus hispidus Say and Ord. 1825.	
	tocene
	Recent
Sigmodon hispidus floridanus A. H. Howell. 1943.	
Canal Point Cotton Rat.	Recent
Sigmodon hispidus littoralis Chapman. 1889.	
Florida Cotton Rat.	Recent
Sigmodon hispidus spadicipygus Bangs. 1898.	
Cape Sable Cotton Rat.	Recent
Sigmodon hispidus exputus G. M. Allen. 1920.—Pine Key	
Cotton Rat.	Recent
Sigmodon hispidus insulicola A. H. Howell. 1943.	
Captiva Island Cotton Rate.	Recent
Neotoma floridana floridana (Ord). 1818.	
	ocene—
	Recent
Pitmys pinetorum parvulus A. H. Howell. 1916.	
	ocene—
21000	Recent
Synaptomys australis Simpson. 1928.	
The state of the s	

Extinct Lemming Mouse.

Ondatra zibethica (Linnaeus). 1758.—Flat-tailed Muskrat. Pleistocene Neofiber alleni alleni True. 1884. Florida Round-tailed Muskrat. Pleistocene-Recent Neofiber alleni nigrescens A. H. Howell. 1920. Everglades Round-tailed Muskrat. Recent Neofiber alleni struix Schwartz. Recent Family MURIDAE.—Old World Rats and Mice. Rattus rattus (Linnaeus). 1758.—Black Rat. Recent Rattus rattus alexandrinus (Geoffrey). 1803.— Roof Rat. Recent Rattus rattus frugivorus (Rafinesque). 1814.—Fruit Rat. Recent Rattus norvegicus (Erxleben). 1777.—Norway Rat. Recent Mus musculus domesticus Rutty. 1772.—House Mouse. Recent Mus musculus brevirostris Waterhouse. 1837.—Southern House Mouse. Recent Order LAGOMORPHA—Rabbits, Cotton-tails, Hares, Pikes, etc. Family Leporidae.—Rabbits, Cotton-tails, Hares, etc. Sylvilagus sp. Sellards. 1916. Pleistocene Sylvilagus palustrellus Gazin, 1950.—Pigmy Marsh Rabbit Pleistocene Sylvilagus floridanus floridanus (J. A. Allen). 1890. Florida Cotton-tail. Pleistocene-Recent Sylvilagus floridanus ammophilus A. H. Howell. Beach Cotton-tail. Recent Sylvilagus floridanus mallurus (Thomas). 1898.—Eastern Cotton-tail. Recent Sylvilagus palustris palustris (Bachman). 1837. Carolina Marsh Rabbit. Pleistocene— Recent Sylvilagus palustris paludicola (Miller and Bangs). 1894.

Recent

Florida Marsh Babbit.

Order EDENTATA.—Armadillos, Sloths, Anteaters, etc.

Family GLYPTODONTIDAE.

Boreostracon floridanus Simpson. 1929.—Tortoise Armadillo.

Pleistocene

Family Megatheridae.

Megatherium hudsoni White. 1941.—Giant Ground Sloth.

Pleistocene

Family Megalonchyidae.

Megalonyx jeffersonii (Desmarest). 1822.

Jefferson Ground Sloth.

Pleistocene

Megalonyx wheatleyi Cope. 1871.

Wheatley's Ground Sloth.

Pleistocene

Family MYLODONTIDAE.

Paramylodon harlani Owen. 1842.—Harlan's Ground

Sloth.

Thinobadistes segnis Hay. 1919.—Ground Sloth.

Pleistocene

Pleistocene

Family DASYPODIDAE.—Armadillos.

Holmesina septentrionale (Leidy). 1889a.

Pleistocene

Dasypus bellus (Simpson). 1929.—Armadillo.

Pleistocene

Dasypus novemcinctus mexicanus Peters. 1864.

Nine-banded Armadillo.

Northern Giant Armadillo.

Recent

Order PROBOSCIDEA.—Elephants, Mastodons, etc.

Family Gomphotheridae.

Serridentinus floridanus (Leidy). 1886.—Serrate-toothed

Mastodon Pliocene

Serridentinus leidii Frick. 1926.—Serrate-toothed

Mastodon. Pliocene

Serridentinus brewsterensis. Osborn. 1927.

Serrate-toothed Mastodon. Pliocene

Serridentinus simplicidens. Osborn. 1923.

Serrate-toothed Mastodon. Pliocene

Family MAMMUTIDAE.

Mammut sellardsi (Simpson). 1930.—Sellard's Mastodon. Pliocene

Mammut americanum Kerr. 1792.—American Mastodon.

Pleistocene

Family Elephantidae.

Mammuthus floridanus (Osborn). 1929.—Mammoth. Pleistocene Mammuthus imperator (Leidy). 1858.—Imperial

Mammoth. Pleistocene

Mammuthus columbi (Falconer). 1857.—Columbian

Mammoth. Pleistocene

Order PERISSODACTYLA.—Odd-toed Ungulates.

Family Equidae.—Horses.

Anchitherium clarencei Simpson. 1932.—Three-toed Horse.

Miocene

Archaeohippus blackbergi (Hay). 1924.—Three-toed

Horse.

Horse.

Miocene

Parahippus leonensis Sellards. 1916.—Three-toed Horse. Miocene Parahippus barbouri White. 1942.—Three-toed Horse. Miocene Merychippus gunteri Simpson. 1930.—Three-toed Horse. Miocene

Merychippus westoni Simpson. 1930.—Three-toed

Miocene

Miohippus sp. White. 1942.—Three-toed Horse.

Miocene

Nannippus minor (Sellards). 1916.—Three-toed Horse. Nannippus ingenuus Leidy. 1885.—Three-toed Horse.

Pliocene Pliocene

Neohipparion phosphorum Simpson. 1930.—Three-toed Horse.

Pliocene

Hipparion plicatile Leidy. 1887.—Three-toed Horse. Equus sp. See Savage, 1951.—One-toed Horse.

Pliocene Pleistocene

Family Tapiridae.—Tapirs.

Tapiravus sp. White. 1942.

Miocene

Tapirus veroensis Sellard. 1929.—Florida Tapir. Tapirus haysii Leidy. 1852.—Hay's Tapir.

Pleistocene Pleistocene

Tapirus copei Simpson. 1945.

Pleistocene

Tapirus terrestris (Linnaeus). 1758.—American Tapir.

Pleistocene

Family Rhinoceratidae.—Rhinoceroses.

Caenopus platycephalus (Osborn and Wortman). 1894. Slender-limbed Rhinoceros.

Miocene

Miocene

Diceratherium sp. Simpson. 1932.	Miocene
Teleoceras proterus (Leidy). 1885.—Short-legged	
Rhinoceros.	Pliocene
Aphelops longipes (Leidy). 1890.—Long-footed	
Rhinoceros.	Pliocene
Order ARTIODACTYLA.—Even-toed Ungulate	es.
Family Entelodontidae.—Extinct Giant Pigs.	
Daeodon (Dinohyus sp.) Simpson. 1930.	Miocene
Family Tayassuidae.—Peccaries.	
Floridachoerus olseni White. 1941.	Miocene
Prosthennops elmorei White. 1942.	Pliocene
Tayassu cf. tetragonus (Cope). 1899.	Pleistocene
Platygonus cf. cumberlandensis Gidley. 1920.	Pleistocene
Mylohyus gidleyi Simpson. 1929.	Pleistocene
Mylohyus browni Gidley. 1920.	Pleistocene
Mylohyus cf. exortivus Gidley. 1920.	Pleistocene
Mylohyus lenis (Leidy). 1869.	Pleistocene
Mylohyus pennsylvanicus (Leidy). 1889f.	Pleistocene
Family Camela.—Camels.	2.5
Oxydactylus floridanus Simpson. 1932.—Giraffe-camel.	
Miolabis cf. tenuis Simpson. 1932.	Miocene
Megatylopus major (Leidy). 1886.—Extinct Camel.	Pliocene
Procamelus minor (Leidy). 1886.—Extinct Camel.	Pliocene
Procamelus minimus (Leidy). 1886.—Extinct Camel.	Pliocene
Tanupolama mirifica Simpson. 1929.—Extinct Camel.	Pleistocene
Tanupolama americana (Wortman). 1898.—Extinct	D1
Camel.	Pleistocene
Camelops sp. Simpson. 1932.—Extinct Camel.	Pleistocene
Family Hypertraculidae.—Pigmy Deer.	
Floridatragulus dolichanthereus White. 1940.	Miocene
Floridatragulus barbouri White. 1947.	Miocene
Leptomeryx sp. White. 1947.	Miocene
Hypermekops olseni White. 1942.	Miocene

Family NOTHOKEMADIDAE.

Nothokemas grandis (White). 1947.

Family PROTOCERATIDAE.

Synthetoceras douglasi White. 1947. Miocene Syndyoceras australis White. 1941. Miocene

Family Cervidae.—Deer, Elk, Moose, etc.

Machaeromeryx gilchristensis White. Miocene Dromomeryx cf. americanus Simpson. 1932. Miocene Blastomeryx floridanus (White). Miocene Blastomeryx cf. marshi Simpson. 1932. Miocene Blastocerus extransus Simpson. Pleistocene Cervus sp. Gazin. 1950. Pleistocene Odocoileus sellardsiae Hay. 1917.—Sellard's Deer. Pleistocene Odocioleus virginanus virginianus (Boddaert).

Virginia Deer. Recent

Odocoileus virginianus osceola (Bangs). 1896.—Florida

White-tailed Deer. Recent

Odocioleus virginianus seminolus Goldman and Kellogg. 1940.—Seminole White-tailed Deer.

Odocioleus virginianus clavium Barbour and Allen, 1922.

Key Deer.

Recent

Recent

Family OREODONTIDAE.

Genus undetermined. Simpson, 1932.

Miocene

Family Bovidae.—Bison, Cattle, Sheep, Goats, etc.

Bison latifrons (Harlan). 1825.—Broad-headed Bison. Pleistocene Bison bison (Linnaeus). 1758.—Bison. Recent

Order SIRENIA.—Sea Cows, Manatees, and Dugongs.

Family Dugongidae.—Dugongs.

Hesperosiren crataegensis Simpson. 1932.—Extinct

Miocene Dugong.

Felsinotherium floridanum (Hay). 1922.—Extinct

Dugong. Miocene

Family Trichechidae.—Manatees, Sea Cows.

Trichechus sp. Simpson. Pleistocene

Trichechus manatus latirostris (Harlan). 1823.

American Manatee. Recent

Order CETACEA.—Whales, Dolphins and Porpoises.

Family Basilosauridae.	
Basilosaurus brachyspondylus Sellards. 1916.	Eocene
Basilosaurus cetoides Sellards. 1916.	Eocene
n d n n n n n n n	
Family PLATANISTIDAE.—River Dolphins.	
Goniodelphis hudsoni G. M. Allen, 1941.—River	Missans on
Dolphin	Miocene or Pliocene
Family Ziphiidae.—Beaked Whales.	Thocene
•	
Mesoplodon europaeus (Gervais). 1848-52. Gervais' Whale.	Recent
Ziphius cavirostris G. Cuvier. 1823.—Cuvier's Beaked	песен
Whale.	Recent
THE STATE OF THE S	
Family Physeteridae.—Sperm Whales.	
Hoplocetus sp. Kellogg. 1944.	Pliocene
Kogiopsis floridanus Kellogg. 1929.—Small Sperm	
Whale.	Pliocene
Kogia breviceps (Blainville). 1838.—Pygmy Sperm Wha	ale. Recent
Physeter catodon Linnaeus. 1758.—Cachalot, Sperm Whale.	Recent
wilaie.	пссен
Family Acrodelphidae.	
Pomatodelphis inequalis G. M. Allen, 1921.—Long-beak	ed
Porpoise.	Miocene
Schizodelphis bobengi Case, 1934.—Long-beaked	
Porpoise.	Miocene
Schizodelphis depressus G. M. Allen. 1921.—Long-beal	
Porpoise.	Miocene
Family Delphinidae.—Dolphins, Killer Whales, Blac	kfish, etc.
Megalodelphis magnidens Kellogg, 1944.	Miocene
Globicephala baereckeii Sellards. 1916.	Pleistocene
Globicephala macrorhyncha (Gray) 1846.—Blackfish,	
Pilot Whale.	Recent
Steno rostrata Gray. 1846.—Rough-toothed Dolphin.	Recent
Stenella plagiodon (Cope). 1866.—Spotted Dolphin.	Recent
Stenella frontalis (G. Cuvier). 1829.—Bridled Dolphin.	Recent

Stenella longirostris (Gray). 1828.— Long-beaked	
Dolphin.	Recent
Delphinus delphis Linnaeus. 1758.—Common Dolphin.	Recent
Tursiops truncatus (Montague). 1821.—Bottle-nosed	
Dolphin.	Recent
Grampus orca (Linneaus). 1758.—Killer Whale.	Recent
Pseudorca crassidens (Owen).—False Killer.	Recent
Family Cetotheridae.	
·	A.C.
Isocetus species? Kellogg. 1944.	Miocene
Mesocetus species? Kellogg. 1944.	Miocene
Family Balaenopteridae.—Whalebone Whales.	
Balaenoptera floridana Kellogg. 1944.	Pliocene
Balaenoptera physalis (Linnaeus). 1758.—Finback.	Recent
Balaenoptera borealis Lesson. 1828.—Sei Whale, Pollack	
Whale.	Recent
Balaenoptera acutorostrata Lacepede. 1804.—Pike Whale.	Recent
Megaptera nodosa (Bonaterre). 1789.—Humpbacked	
Whale.	Recent

Family BALAENIDAE,—Whalebone Whales.

Eubalaena glacialis (Bonaterre). 1789.—North Atlantic Right Whale.

Recent

A BIBLIOGRAPHY OF THE MAMMALS OF FLORIDA, LIVING AND EXTINCT

ACOSTA, JOSEPH DE

1590. Historie naturel et moral de las Indies. Seville. (English translation revised by Clements R. Markham, Hakluyt Soc. London, 1880).

ALLEN, E. ROSS

1950. Notes on the Florida panther, Felis concolor coryi Bangs., Jour. Mamm., 31(3): 279-280.

ALLEN, E. ROSS and WILFRED T. NEILL

1952. Notes on the abundance of the Everglades mink. Jour. Mamm , 33(1): 113-114.

ALLEN, G. M.

1916a. Bats of the genus Corynorhinus. Harvard Univ., Bull. Mus. Comp. Zool., 60(9): 333-353;1 pl.

1916b. The whalebone whales of New England. Mem. Boston Soc. Nat. Hist., 8(2): 107-322; pls. 8-16, figs. 1-12.

1920. An insular race of cotton rat from the Florida Keys. *Jour. Mamm.*, 1(5): 235-236.

- 1921. Fossil cetaceans from the Florida phosphate beds. *Jour. Mamm.*, 2(3): 144-160.
- 1923. Additional remains of the fossil dugong of Florida. Jour. Mamm., 4(4): 231-239; 7 figs.
- 1925. The bridled dolphin (Prodelphinus froenatus) on the Florida coast. Jour. Mamm., 6(1): 59.
- 1932. A Pleistocene bat from Florida. Jour. Mamm., 13(3): 256-259.
- 1933. Geographic variation in the big brown bat (Eptesicus fuscus). The Canadian Field-Nat., 47(2): 31-32.
- 1939. Bats. Harvard Univ. Press.
- 1941a. Pygmy sperm whale in the Atlantic. Field Mus. Pub. Zool., 27: 17-36; 1 pl., 2 text figs.
- 1941b. A fossil river dolphin from Florida. Bull. Mus. Comp. Zool., 89(1): 4-8; 3 pls.
- 1942. Extinct and vanishing mammals of the Western Hemisphere with the marine species of all the oceans. xv. 620, 24 ill., Amer. Committee for International Wildlife Protection. Lancaster, Pa.

ALLEN, HARRISON

- 1864. Monograph of the bats of North America. Smithsonian Misc. Coll., 165: xxiii + 85; 68 figs.
- 1893. A Monograph of the Bats of North America. Bull. U. S. Nat. Mus., (43).

ALLEN, J. A.

- 1871. On the mammals and winter birds of east Florida, etc. Bull. Mus. Comp. Zool., 2: mammals, 11-185.
- 1880. History of the North Amer. Pinnipeds. Misc'l. Pub. (12) U. S. Geol. and Geog. Surv. Territories.
- 1890. Descriptions of a new species and a new subspecies of the genus Lepus. Bull. Amer. Mus. Nat. Hist., 3: 159-160.
- 1895, On the species of the genus Reithrodontomys. Bull. Am. Mus. Nat. Hist., 7: 107-143.
- 1898. The mammals of Florida. Amer. Nat., 32: 433-436.
- 1901. A preliminary study of the North American oppossums of the genus Didelphis. Bull. Amer. Mus. Nat. Hist., 14: 149-188.
- 1908. The North Atlantic right whale and its near allies. Bull. Amer. Mus. Nat. Hist., 24: 277-329; pls. xix-xxiv.

ALLEN, ROBERT P.

1951. Can we save the key deer? Nat. Hist., 60(2): 79-83.

ANDERSON, KNUD

1908. A monograph of the chiropteran genera Uroderma, Euchisthenes, and Artibeus. Proc. Zool. Soc. London, 205-319.

ANDREWS, R. C.

1916. Monographs of the Pacific Cetacea II. The sei whale. Memoirs Amer. Mus. Nat. Hist., 2: 291-388; pls. 29-42, text figs. 1-38.

ANTHONY, H. E.

1928. Field book of North American mammals. G. P. Putman's Sons, New York.

ARMSTRONG, CHARLES

1939. The experimental transmission of poliomylitis to the eastern cotton rat, Sigmodon hispidus hispidus. Public Health Reports, Washington, D. C., 54 (38): 1719-1721. September 22, 1939.

ASDELL, S. A.

1946. Patterns of mammalian reproduction. Comstock Pub. Co.

AUDUBON, JOHN JAMES and JOHN BACHMAN

1841. Descriptions of new species of North American quadrupeds. *Proc. Acad. Nat. Sci. Philadelphia*, 1: 92-103.

1846, 1851, and 1854. The viviparous quadrupeds of North America. 3 vols.

BACHMAN, JOHN

1837a. Description of a new species of hare (*Lepus palustris*) found in South Carolina. *Jour. Acad. Nat. Sci. Philadelphia*, 7(2): 194-199; Pls "16" (i.e., 15) and 16, figs. 1 and 2.

1837b. Some remarks on the genus *Sorex* with a monograph of the North American species. *Jour. Acad. Nat. Sci. Philadelphia*, 7(2): 362-402; pls. 23-24.

BAILEY, H. H.

- 1924. The armadillo in Florida and how it reached there. *Jour. Mamm.*, 5(4): 264-265.
- 1930. Correcting inaccurate ranges of certain Florida mammals and others of Virginia and the Carolinas. *Bull.* 5, *Bailey Mus. and Lib. Nat. Hist.*, Miami.
- 1933. Coyotes, (Canis latrans) in Florida. Bull. 8, Bailey Mus. and Lib. Nat. Hist., Miami.
- 1937a. Two new North American Mammals. Bull. 12, Bailey Mus. and Lib. Nat. Hist., Miami.
- 1937b. Change of name of Scirus carolinensis minutus Bailey. Jour. Mamm., 18(4): 516.

BAILEY, VERNON

- 1895. The Pocket Gophers of the United States. Bull. 5, Div. of Ornithology and Mammalogy, U. S. Dept. Agric.
- 1900. Revision of the American voles of the genus *Microtus*, *N. Am. Fauna*, (17): 1-88; 5 pls., 17 figs. U. S. Dept. Agric.
- 1902. Synopsis of the North American species of Sigmodon. Proc. Biol. Soc. Washington, 15: 101-116.
- 1905. Biological Survey of Texas. N. Am. Fauna, (25): 1-22; 16 pls., 24 figs. U. S. Dept. Agric.

BAIRD, SPENCER FULLERTON

1859. Mammals of North America; the descriptions of species based chiefly on the collection in the museum of the Smithsonian Institution. J. B. Lippincott and Co., Philadelphia, xxxiv and 764, 87 pls.

BAKER, FRANK C.

1889. Remarks upon the round-tailed muskrat, Neofiber alleni, True. Proc. Acad. Nat. Sci. Philadelphia, 271-273.

BANGS, OUTRAM

- 1894. The geographical distribution of the eastern races of the cottontail (*Lepus sylvaticus* Bach.) with a description of a new subspecies, and with notes on the distribution of the northern hare (*Lepus americanus* Erxl.) in the east. *Proc. Boston Soc. Nat. Hist.*, 26: 404-414.
- 1895a. The present standing of the Florida manatee in the Indian River waters. *Amer. Nat.*, 29: 783-787.
- 1895b. Notes on North American mammals. Synonomy of the eastern skunk, *Mephitis mephitica* (Shaw), with a description of a new subspecies from Florida. *Proc. Boston Soc. Nat. Hist.*, 26: 529-536.
- 1896a. A review of the squirrels of eastern North America. *Proc. Biol. Soc. Washington*, 10: 145-167.
- 1896b. A review of the weasels of eastern North America. *Proc. Biol. Soc.* Washington, 10: 1-24.
- 1896c. The cotton mouse, Peromyscus gossypinus. Proc. Biol. Soc. Washington, 10: 119-125.
- 1896d. The Florida Deer. Proc. Biol. Soc. Washington, 10: 25-28.
- 1897. Notes on the lynxes of eastern North America, with descriptions of new forms. *Proc. Biol. Soc. Washington*, 11: 47-51.
- 1898. The land mammals of peninsular Florida and the coast region of Georgia. *Proc. Boston Soc. Nat. Hist.*, 28: 157-235.
- 1899. The Florida puma. Proc. Biol. Soc. Washington, 13: 15-17.

BARBOUR, THOMAS and GLOVER M. ALLEN

1922. The white-tailed deer of eastern United States. *Jour. Mamm.*, 3(2): 65-78; pls. 4 and 5.

BARBOUR, THOMAS

1936. Eumops in Florida. Jour. Mamm., 17(4): 414.

1937. Birth of a manatee. Jour. Mamm., 18(1): 106-107.

BARRINGTON, B. A., JR.

1942. Description of the birth and young of the pocket gopher, Geomys floridanus. Jour. Mamm., 23(4): 428-430.

BARTON, B. S.

1806. Auszug eines Schreibens des Herrn Professors B. S. Barton in Philadelphia and Hrn Doctor Kibers in Bremen. in Magazin fur den neuesten Zustand der Naturkunde mit Rucksicht auf dazu gehorigen Hulfswissenschaften. von Johann Heinrich Voight.

BARTRAM, WILLIAM

1792. Travels through North and South Carolina, Georgia, east and west Florida, the Cherokee Country, the extensive territories of the Muscogulges, or Creek Confederacy, and the country of the Choctaws. 520. London, Reprinted from original edition, Philadelphia, 1791.

BAUGHMAN, J. L.

1946a. On the occurrence of a rorqual whale on the Texas coast. *Jour. Mamm.*, 27(4): 392-393.

1946b. Some early notices on American manatees and the mode of their capture. *Jour. Mamm.*, 27(3): 234-239.

BEAUVOIS, PALISOT, DE

1796. Catalogue Raisonne Mus. Peale, Philadelphia.

BEDDARD, F. E.

1900. A Book of Whales. G. P. Putnam's Sons, N. Y.

BLAINVILLE, M. H. DE

1838. Annales Francaises et Etrangeres d'anatomie et de Physiologie, appliquees a la Medecine et a l'histoire naturelle: par Mm. Laurent, Bazin, Hollard, Coste, Gervais et Jacquemart. *Ann. d'Anat. et de Physiol.*, 2: 335-337, pl. X.

BLAIR, W. FRANK

- 1935a. Some mammals from southern Florida. Amer. Midland Nat. 16: 801-804.
- 1935b. The mammals of a Florida hammock. Jour. Mamm., 16(4): 271-277.
- 1936a. The Florida marsh rabbit. Jour. Mamm., 17(3): 197-207.
- 1936b. The gopher mouse—Peromyscus floridanus. Jour. Mamm., 17(4): 422-423.
- 1943. Criteria for species and their subdivisions from the point of view of genetics. *Trans. New York Acad. Sci.*, 44: 179-188.
- 1944. Inheritance of the white-cheek character in mice of the genus *Peromyscus. Contr. Lab. Vert. Biol.*, 25: 1-7; 1 pl.
- 1946. An estimate of the total number of beach mice of the subspecies Peromyscus polionotus leucocephalus occupying Santa Rosa Island, Florida. Amer. Nat., 80: 665-668.
- 1950. Ecological factors in speciation of *Peromyscus*. Evolution, 4(3): 253-275.
- 1951a. Population structure, social behavior, and environmental relations in a natural population of the beach mouse (*Peromyscus polionotus leucocephalus*) Univ. of Michigan. *Contrib. Lab. Vert. Biol.*, (48): 1-47.
- 1951b. Interbreeding of natural populations of vertebrates. *Amer. Nat.*, 85(820): 9-30.

BLAIR, W. FRANK and WALTER E. HOWARD

1944. Experimental evidence of sexual isolation between three forms of mice of the cenospecies *Peromyscus maniculatus*. *Contr. Lab. Vert. Biol.*, 25: 1-19.

BODDAERT, P.

1784. Eleuchus Animalium. 1.

BONATERRE, L'ABBE

1789. Cetologie. Tableau encyclopedique et methodique des trois Regnes de la nature. Paris.

BRIGHAM, GEORGE D.

1937. Susceptibility of animals to endemic typhus fever. *Public Health Reports*. Washington, D. C., 52 (21): 660-662.

BRIMLEY, H. H.

1937. The false killer whale on the North Carolina coast. *Jour. Mamm.*, 18(1): 71-73.

CAHALANE, VICTOR H.

1947. Mammals of North America. The Macmillan Co., N. Y.

1948. The status of mammals in the U. S. National Park System. *Jour. Mamm.*, 29(3): 247-259.

CAHN, A. R.

1940. Manatees and the Florida freeze. Jour. Mamm., 21(2): 222-223.

CAMP, CHARLES L. and VERTRESS LAWRENCE VAN DER HOOF

1940. Bibliography of Fossil vertebrates. 1928-1933. Geol. Soc. Amer., spec. paper no. 27, 503.

CAMP, CHARLES L., D. N. TAYLOR and S. P. WELLS.

1942. Bibliography of fossil vertebrates. 1934-1938. Geol. Soc. Amer., spec. paper no. 42, 663.

CARR, A. F., JR.

1939. Notes on escape behavior in the Florida marsh rabbit. *Jour. Mamm.*, 20(3): 322-325.

CARR, CARLYLE

1936. Cotton rat control in Florida. Circ. 41, Univ. Florida Agric. Extension Serv., 8 pp., 5 figs.

CASE, E. C.

1934. A specimen of the long-nosed dolphin from the bone valley gravels of Polk County, Florida. *Contr. Mus. Paleont. Univ. Mich.*, 4: 105-113, 2 pls.

CHAMBERLAIN, T. C.

1917a. Interpretation of the formations containing human bones at Vero, Fla. Jour. Geol., 25: 25-39.

1917b. Further studies at Vero, Fla. Jour. Geol. 25: 667-683.

CHANDLER, ASA C.

1947. Notes on *Moniliformis clarki* in North American squirrels. *Jour. Parisitology*, 33(3): 278-281.

CHAPMAN, FRANK M.

1889a. Description of a new species of Sigmodon from southern Florida.

Bull. Amer. Mus. Nat. Hist., 2: 118.

1889b. Preliminary descriptions of two apparently new species of the genus *Hesperus* from Florida. *Bull. Amer. Mus. Nat. Hist.*, II: 117-122.

1889c. On the habits of the round-tailed muskrat (Neofiber alleni True).

Bull. Amer. Mus. Nat. Hist., 2(3): 119-122.

1893a. Description of a new subspecies of *Oryzomys* from the Gulf States. *Bull. Amer. Mus. Nat. Hist.*, 5: 43-46.

- 1893b. Description of two new races of mammals from Florida, with remarks on Sitomys niveiventris Chapman. Bull. Amer. Mus. Nat. Hist., 5: 339-341.
- 1894. Remarks on certain land mammals from Florida, with a list of species known to occur in the state. Bull. Amer. Mus. Nat. Hist., 6: 333-346.
- 1943. Everglades Islet. Audubon Magazine, 45: 19-25; map, 3 photos.

CHRISTY, BAYARD H.

1928. Bird notes from southern Florida. Auk, 45(3): 283-289.

COLBERT, E. H.

1932. Aphelops from the Hawthorn Miocene of Florida. Bull. Florida Geol. Surv., 10: 55-58; 1 fig.

CONNERY, HACK H.

1932. Recent find of mammoth remains in the Quarternary of Florida, together with arrowhead. Science (n.s.) 75: 516.

COOKE, C. WYTHE

- 1926. Fossil man and Pleistocene vertebrates in Florida. Amer. Jour. Sci., Ser. 5, 12: 441-452.
- 1928. The stratigraphy and age of the Pleistocene deposits in Florida from which human bones have been reported. *Jour. Washington Acad. Sci.*, 18: 414-421.
- 1941. Pleistocene man in Florida. Bull. Geol. Soc. Amer., 52: 1998, (abs).
- 1945. Geology of Florida. Geol. Bull., 29, Florida Geol. Surv.

COOKE, C. WYTHE and S. MOSSOM

1929. Geology of Florida. Ann. Rept. Florida Sta. Geol. Surv., 20: 29-227.

COPE, EDWARD D.

- 1866. Third contribution to the history of the Balaenidae and Delphinidae. *Proc. Acad. Nat. Sci. Philade!phia*, 296.
- 1889a. An intermediate Pliocene Fauna. Amer. Nat., 23: 253-254.
- 1889b. The Edentata of North America. Amer. Nat., 23: 657-664.
- 1892a. (Note on the fossils of the Alachua Clays) contained in U. S. Geol. Surv. Bull., 84: 130.
- 1892b. On the phylogeny of the Vertebrata. *Proc. Amer. Philos. Soc.*, 30: 278-279.
- 1895. The fossil Vertebrata from the fissure at Port Kennedy, Pa. *Proc. Acad. Nat. Sci. Philadelphia*, 446-450.
- 1896. On some Pleistocene Mammalia from Petite Anse, La. *Proc. Amer. Philos. Soc.*, 34: 458-468; pls. x-xii.

CORY, C. B.

1896. Hunting and Fishing in Florida. Estes and Lauriat, Boston.

COUES, ELLIOTT

- 1871. Progress of American ornithology. Amer. Nat., 5: 364.
- 1877. Fur-bearing animals; a monograph of North American Mustelidae.

 Department of the Interior, Misc, Publ., 8: xiv and 348, 20 pls.
- 1896. The Nation, 63, p. 404, Unsigned. (% Barbour & Allen 1922).

COUES, ELLIOTT and JOEL ASAPHA ALLEN

1877. Monographs of North American Rodentia. Rept. U. S. Geol. Surv. of the Territories. XI: 1091. Appendix B. Material for a bibliography of North American mammals, by Theodore Gill and Elliott Coues, 951-1081.

CUVIER, F.

1832. Essai de classification naturelle des vespertilions, et description de plusiers especes de ce genre, Nouv. Ann. Mus. Hist. Nat. Paris, 1: 1-21.

CUVIER, G.

1829. La Regne Animal. Nouv. ed.

DALL, W. H.

1887. Notes on the Geology of Florida. Amer. Jour. Sci., (3) xxxiv: 161-170.

1891. On the age of the Peace Creek Beds, Florida, *Proc. Acad. Nat. Sci.*, Philadelphia. 120.

DALL, W. H. and G. D. HARRIS.

1892. Correlation papers: Neocene of North America. U. S. Geol. Surv. Bull. 84.

DE POURTALES, L. F.

1877. Hints on the origin of the flora and fauna of the Florida Keys. Amer. Nat., 11: 137-144.

DESMAREST

1822 Mammalogie.

DICE, LEE R.

1940. Relationships between the wood-mouse and the cotton-mouse in eastern Virginia. *Jour. Mamm.*, 21(1): 14-23.

ELLIOTT, D. G.

1901. A list of mammals obtained by Thaddeus Surber in North and South Carolina, Georgia and Florida. Field Columbian Museum, Publ. 58, Zool. Series, 3(4): 31-57.

ERXLEBEN, J. C. P.

1777. Systema regni an'malia per classes, ordines, genera, species, varietates, cum synonymia et historia animalium. Classes I, Mammalia.

FALCONER, HUGH

1857. On the species of mastodon and elephant occurring in the fossil state in Great Britain. Part I. Mastodon. *Quart. Jour. Geol. Soc. London*, 13: 307-360; pl. XI, XII.

FARGO, WILLIAM G.

1929. Bats of Indian Key, Tampa Bay, Florida. *Jour. Mamm.*, 10(3): 203-205.

FAWCETT, D. W.

1942a. The amedullary bones of the Florida manatee. Amer. Jour. Anat., 71: 271-309; 9 pls., 1 text fig.

1942b. A comparative study of blood vascular bundles in the Florida

manatee (Trichechus latirostris) and certain cetaceans and edentates. Jour. Morph., 71: 105-133; 3 pls.

FITCH, HENRY S., PHIL GOODRUM and COLEMAN NEWMAN

1952. The armadillo in the southeastern United States. *Jour. Mamm.*, 33(1): 21-37; 1 table, 2 figs.

FOSTER, JOHN WELLS

1838. Report (on Muskingum County, Ohio). 2nd Annual Report Geol. Surv. Ohio.

FRASER, F. C.

- 1950a. Two skulls of Globicephala macrorhyncha (Gray) from Dakar.

 Atlantide Report no. 1: 49-60, pls. I-V.
- 1950b. Description of a dolphin Stenella frontalis (Cuvier) from the coast of French Equatorial Africa. Atlantide Report no. 1: 61-84, pls. VI-IX.
- 1951. The specific name of the northern pilot whale or blackfish. Ann. and Mag. Nat. Hist. ser. 12, 4: 942-944.

FRICK, C.

- 1926a. The Hemicyoninae and an American Tertiary bear. Bull. Amer. Mus. Nat. Hist., 56: 1-119.
- 1926b. Tooth sequence in certain trilophodont tetrabelodont mastodons. Bull. Amer. Mus. Nat. Hist., 56; 122-176.
- 1937. Horned ruminants of North America. Bull. Amer. Mus. Nat. Hist., 69: 1-669; 103 figs.

FRYE, O. E., JR.

1948. Extension of range of two species of bats in Florida. *Jour. Mamm.*, 29(2): 182.

GARRETSON, MARTIN S.

1938. The American Bison, N. Y. Zool. Soc.

GEOFFROY ST. HILAIRE, E.

1803. Catal. Mammif. du Mus. Nat. d'Hist., Nat., Paris.

GERVAIS, PAUL

1848. Zoologie et paleontologie Francaises (animaux vertebres) ou nouvelles recherches sur les animax vivants et fossiles de la France.

GIDLEY, JAMES W.

- 1891. Tooth characters and revision of the North American species of the genus Equus. Bull. Amer. Mus. Nat. Hist., 14: 91-142; pls. 18-21.
- 1907. Revision of the Miocene and Pliocene Equidae of North America. Bull. Amer. Mus. Nat. Hist., 23: 865-934.
- 1913. In Matson and Sanford, Geology and ground water of Florida. Water Supply Paper USGS 319: 142-143.
- 1920. Pleistocene peccaries from the Cumberland Cave deposits. *Proc.* U. S. Nat. Mus., 57: 651-678, 13 figs., 2 pls.
- 1926. Investigation of evidences of early man at Melbourne and Vero, Florida. Explorations and field work of the Smithsonian Institution in 1925. 23-26; figs., 27-29.

0

- 1928. A new species of bear from the Pleistocene of Florida. Jour. Washington Acad. Sci., 18: 430-433.
- 1929a. Ancient man in Florida; further investigations. Bull. Geol. Soc. Amer., 40: 491-501.
- 1929b. Further study of the problem of early man in Florida. Explorations and field work of the Smithsonian Institution in 1928. 13-20; figs. 8-12.
- 1930. Investigations of early man in Florida. Explorations and field work of the Smithsonian Institution in 1929. 37-38; figs. 28-29.
- 1931. Further investigations on evidence of early man in Florida. Explorations and field work of the Smithsonian Institution in 1930. 41-44; figs. 33-36.

GIDLEY, JAMES W. and C. L. GAZIN

1933. New Mammalia in the Pleistocene fauna from Cumberland Cave. *Jour. Mamm.*, 14(4): 343-357.

GIDLEY, JAMES W. and FREDERICK B. LOOMIS

1926. Fossil man in Florida. Am. Jour. Sci., 12: 254-264.

GLYDENSTOLPE, NILS

1932. A manual of neotropical sigmodont rodents. Kungl. Svenska Vetenskapsakademiens Handlingar. Tradke Serien. II: (3).

GMELIN, I. F.

1788. Carolina Linne Systema naturae per regna tria naturae, secundum classes ordines, general, species, cum characteribus, differentils, synonymis, locis. Ed. 13 ma. aucta reformata. Tomus I, pars 1, Mammalia.

GOGGIN, JOHN M., and F. H. SOMMER

1949. Excavations on Upper Metacumbe. Yale Univ. Publs. Anthrop., 41: 1-104.

GOIN, OLIVE B.

1944. Peromyscus impaled on Opuntia. Jour. Mamm., 25(2): 200.

1947. The otter is a gentleman. Fauna, 9(2): 39-41.

1948. Cat of a dozen names. Fauna, 10(4): 101-105.

GOLDMAN, EDWARD A.

1910. Revision of the woodrats of the genus *Neotoma*. *N. Amer. Fauna*, (31): 1-124; 8 pls., 14 figs. U. S. Dept. Agric.

1918. The rice rats of North America, N. Amer. Fauna, (43): 1-100; 6 pls.U. S. Dept. Agric.

1937. The wolves of North America. Jour. Mamm., 18(1): 37-45.

1950. Raccoons of North and Middle America. N. Amer. Fauna, (60): 1-153; 22 pls., 2 figs. U. S. Dept. Interior.

GOLDMAN, E. A. and REMINGTON KELLOGG

1940. Ten new white-tailed deer from North and Middle America. *Proc. Biol. Soc. Washington*, 53: 81-89.

GRAY, J. E.

1828. Spicilegia Zoologica.

1846. The Zoology of the voyage H. M. S. Erebus and Terror. 1.

1850. Catalogue of the seals in the British Museum.

GREGORY, JOSEPH TRACY

1941. The rostrum of Felsinotherium ossivalense. Bull. Florida Geol. Surv., 22: 27-28, 2 figs., 2 pls.

GUNTER, GORDON

- 1941a. Occurrence of the manatee in the United States, with records from Texas. *Jour. Mamm.*, 22(1): 60-64.
- 1941b. A record of the long-snouted dolphin, Stenella plagiodon (Cope) from the Texas coast. Jour. Mamm., 22(4): 447-448.
- 1942a. Contributions to the natural history of the bottle-nosed dolphin, *Tursiops truncatus* (Montague), on the Texas Coast, with particular reference to food habits. *Jour. Mamm.*, 23(3): 267-276.
- 1942b. Further miscellaneous notes on American Manatees. *Jour. Mamm.*, 23(1): 89-90.
- 1947. Sight records of the West Indian seal, Monachus tropicalis (Gray), from the Texas coast. Jour. Mamm., 28(3): 289-290.

GUNTER, HERMAN

1931. The mastodon from Wakulla Springs, Fla. Woods and Waters for Spring, 1931. Dept. Game and Fresh Water Fish. Tallahassee, Fla.

GUT, H. JAMES

- 1939a. Additions to the recorded Pleistocene mammals from Ocala, Fla. *Proc. Florida Acad. Sci.*, 3: 54-55.
- 1939b. Hitherto unrecorded vertebrate fossil localities in south-central Florida. *Proc. Florida Acad. Sci.*, 3: 50-53.

HALL, E. RAYMOND

- 1936. Mustelid mammals from the Pleistocene of North America with systematic notes on some recent members of the genera Mustela, Taxidea and Mephitis. Carnegie Inst. Washington, Publ. 473: 41-119.
- 1951a. American weasels. Univ. Kansas Pub., Mus. Nat. Hist. 4: 1-466, 41 pls., 31 figs.
- 1951b. A synopsis of the North American Lagomorpha. *Univ. Kansas Pub. Mus. Nat. Hist.*, 5(10): 119-202, 68 figs.

HAMILTON, W. J., JR.

- 1941. Notes on some mammals of Lee County, Florida. Amer. Midland Nat., 25(3): 686-691.
- 1943. The mammals of eastern United States. An account of recent land mammals occurring east of the Mississippi. Comstock Publishing Co., Inc.
- 1948. A new Mink from the Florida Everglades. Proc. Biol. Soc. Washington, 61: 139-140.

HARLAN, R.

- 1824. On a species of lamantin (Manatus latirostris n.s.) resembling the Manatus senegalensis (Cuvier) inhabiting the east coast of Florida. Jour. Acad. Nat. Sci. Philadelphia. 3: 390-394.
- 1825. Fauna Americana.

1837. A description of a new species of quadruped, of the order Rodentia, inhabiting the United States. Silliman's Amer. Jour. Sci., 31.

HARPER, FRANCIS

- 1927. The mammals of the Okefinokee Swamp region of Georgia. *Proc. Boston Soc. Nat. Hist.*, 38(7): 191-396, pl. 4-7.
- 1942. The name of the Florida wolf. Jour. Mamm., 23(3): 339.
- 1952. History and nomenclature of the pocket gophers (Geomys) in Georgia. Proc. Biol. Soc. Washington. 65: 35-38.

HATT, ROBERT T.

1934. The American Museum Congo expedition manatee and other recent manatees. Bull. Amer. Mus. Nat. Hist., 66: Art. 4: 533-566.

HAY, O. P.

- 1901. Bibliography and catalog of the fossil Vertebrata of North America, Bull. U. S. Geol. Surv., 179.
- 1913a. Notes on some fossil horses, with descriptions of four new species. *Proc. U. S. Nat. Mus.* 44: 569-594, pls. 69-73.
- 1913b. The extinct bisons of North America, with description of one new species, Bison regius. Proc. U. S. Nat. Mus., 46(2021): 173.
- 1916. Descriptions of some Floridian fossil vertebrates, belonging mostly to the Pleistocene. 8th Ann. Rept. Florida Sta. Geol. Surv., 39-76.
- 1917a. Vertebrata mostly from stratum no. 3 at Vero, Florida; together with descriptions of new species. 9th Ann. Rept. Florida Sta. Geol. Surv., 43-68.
- 1917b. On the finding of supposed Pleistocene human remains at Vero, Florida. Jour. Washington Acad. Sci., 7: 358-360.
- 1918a. Further considerations of the occurrence of human remains in the Pleistocene deposits at Vero, Florida. Amer. Anthropologist, n.s., 20: 1-36.
- 1918b. A review of some papers on fossil man at Vero, Florida. Sci., n.s., 47: 370-371.
- 1918c. Doctor Ales Hrdlicka and the Vero man. Sci., n.s., 48: 459-462.
- 1919. Descriptions of some mammalian and fish remains from Florida of probable Pleistocene age. Proc. U. S. Nat. Mus., 56: 103-112.
- 1922. Description of a new fossil sea cow from Florida, Metaxytherium floridanum. Proc. U. S. Nat. Mus., 61(17): 1-4; 1 plate.
- 1923. The Pleistocene of North America and its vertebrated animals from the states east of the Mississippi River and from the Canadian Provinces east of longitude 95°. Publ. 322 Carnegie Inst. Washington. i-viii; 1-499; 41 plates, 25 text figs.
- 1924. Description of some fossil vertebrates from the Upper Miocene of Texas. *Proc. Biol. Soc. Washington.* 37: 1-20, 6 pls., 1 text fig.
- 1926. On the geological age of Pleistocene vertebrates found at Vero and Melbourne, Florida. Jour. Washington Acad. Sci., 16(4): 387-392.
- 1927. A review of recent reports on investigations made in Florida on Pleistocene geology and paleontology. *Jour. Washington Acad.* Sci., 17: 277-283.

- 1928. Again on Pleistocene man at Vero, Florida. *Jour. Washington Acad. Sci.*, 18: 223-241.
- 1929. 1930. Second bibliography and catalog of the fossil Vertebrata of North America. *Publ. Carnegie Inst. Washington*, No. 390, vols. I, II.

HAYNE, DON W.

- 1936. Burrowing habits of Peromyscus polionotus. *Jour. Mamm.*, 17(4): 420-421.
- 1950. Reliability of laboratory-bred stocks as samples of wild populations, as shown in a study of *Peromyscus polionotus* in parts of Florida and Alabama. *Contr. Lab. Vert. Biol.*, Univ. Michigan. (46): 1-556, 5 figs.

HEILPRIN, ANGELO.

1887. Explorations on the West Coast of Florida and in the Okeechobee Wilderness with special reference to the Geology and Zoology of the Floridian Peninsula. Wagner Free Inst. Sci., Trans. 1, 134, 19 pls.

HILL, JOHN ERIC

1945. Bachman's shrew from Polk County, Florida. *Jour. Mamm.*, 26(1): 88.

HOLLISTER, NED.

1913. A synopsis of the American minks. Proc. U. S. Nat. Mus., 44: 471-480.

HOLMES, WALTER, W. and G. G. SIMPSON

 Pleistocene exploration and fossil edentates in Florida. Bull. Amer. Mus. Nat. Hist., 59: 383-418.

HOOPER, EMMET T.

1943. Geographic variation in harvest mice of the species *Reithrodontomys humulis*. Occ. Pap. Mus. Zool., Univ. Michigan, 477: 1-19; 1 map.

HOWARD, EDGAR BILLINGS

1940. Studies upon the problem of early man in Florida. In Merriam, J. C., 1940. Paleontology, early man, and historical geology. Carnegie Inst. Washington, Yearbook 39, 290-312.

HOWARD, WALTER E.

1950. Winter fecundity of caged male white-footed mice in Michigan. *Jour. Mamm.*, 31(3): 319-321.

HOWELL, ARTHUR H.

- 1901. Revision of the Skunks of the Genus Chincha. N. Amer. Fauna, (20): 1-47; 8 pls. U. S. Dept. Agric.
- 1906. Revision of the Skunks of the Genus Spilogale. N. Amer. Fauna, (26): 1-55; pls. 10. U. S. Dept. Agric.
- 1909a. Notes on the distribution of certain mammals in the southeastern United States. *Proc. Biol. Soc. Washington*, 22: 55-68.
- 1909b. Description of a new bat from Nickajack Cave, Tennessee. *Proc. Biol. Soc. Washington*, 22: 45-48.
- 1913. Description of a new weasel from Alabama. *Proc. Biol. Soc. Washington*, 26: 139-140.

- 1914. Revision of the American harvest mice. N. Amer. Fauna, 36: 1-97,7 pls., 6 figs. U. S. Dept. Agric.
- 1915. Descriptions of a new genus and seven new races of flying squirrel. Proc. Biol. Soc. Washington, 28: 109-114.
- 1916. Description of a new pine mouse from Florida. Proc. Biol. Soc. Washington, 29: 83-84.
- 1918. Revision of the American flying squirrels. N. Amer. Fauna, 44: 1-64, 7 pls. U. S. Dept. Agric.
- 1919. Notes on the fox squirrels of the southeastern United States, with a description of a new form from Florida. *Jour. Mamm.*, 1(1): 36-38.
- 1920a. The Florida spotted skunk as an acrobat. Jour. Mamm., 1(2): 88.
- 1920b. Description of a new race of the Florida water-rat (Neofiber alleni). Jour. Mamm., 1(2): 79-80.
- 1920c. Description of a new species of beach mouse from Florida. *Jour. Mamm.*, 1(5): 237-239.
- 1921. A biological survey of Alabama. N. Amer. Fauna, 45: 1-88, 11 pls.U. S. Dept. Agric.
- 1929. Florida's mammals. Nature Magazine, 14(6): 338-340, 378-379.
- 1934. The type locality of Pityms parvulus. Jour. Mamm., 15(1): 72.
- 1939. Descriptions of five new mammals from Florida. *Jour. Mamm.*, 20(3): 363-365.
- 1943. Two new cotton rats from Florida. *Proc. Biol. Soc. Washington*, 56: 73-75.

HRDLICKA, ALES

- 1917. Preliminary report on finds of supposedly ancient human remains at Vero, Fla. *Jour. Geol.*, 25: 43-51.
- 1918. Recent discoveries attributed to early man in America. Bur. Amer. Ethnology. B 66, 67: 11.
- 1919. Examination of ancient human remains in Florida. Ann. Rept. U. S. Nat. Mus., 1917, 10-12.
- 1937. Early man in America: What have the bones to say? In "Early Man" ed. by G. G. MacCurdy. 93-104.

HUBBELL, T. H. and GOFF, C.

1940. Florida pocket gopher burrows and their arthropod inhabitants. *Proc. Florida Acad. Sci.*, 4: 127-166.

IVEY, R. DEWITT

- 1948. The raccoon in the salt marshes of northeastern Florida. Jour. Mamm., 29(3): 290-291.
- 1949. Life history notes on three mice from the Florida east coast. *Jour. Mamm.*, 30(2): 157-162.

JACKSON, HARTLEY H. T.

- 1914. New moles of the genus Scalopus. Proc. Biol. Soc. Washington, 27: 19-22.
- 1915. A review of the American moles. N. Amer. Fauna, 38: 1-100, 6 pls.
- 1928. A taxonomic review of the American long-tailed shrews. N. Amer. Fauna, 51: 1-238, 13 pls. U. S. Dept. of Agric.

KELLOGG, REMINGTON

- 1924. Tertiary pelagic mammals of eastern North America. Bull. Geol. Soc. Amer. XXXV: 755-766.
- 1929a. A new fossil toothed whale from Florida. Amer. Mus. Novitates, (389): 1-10.
- 1929b. What is known of the migrations of some of the whalebone whales. Ann. Rept. Smithsonian Inst. for 1928. 467-494, figs. 1-6, pls. 1-2.
- 1936. A review of the Archaeoceti. Carnegie Institution of Washington, Publication (482), i-xv, 1-366, 88 text-figures, 37 plates.
- 1940. Whales, giants of the sea. Nat'l. Geog. Mag. LXXVII(1): 35-90.
- 1944. Fossil cetaceans from the Florida Tertiary. Harvard Univ., Bull. Mus. Comp. Zool., XCIV (9): 432-471, 6 pls.

KERR, R.

1792. The animal kingdom of Linnaeus. London.

KOMAREK, E. V.

1939. A progress report on southeastern mammal studies, *Jour. Mamm.*, 20(3): 292-299.

KRITZLER, HENRY

1949. The pilot whale at Marineland. Nat. Hist., 58(7): 302-308, 331-332.

1950. Wale in gefangenschaft. Die Umschau, 50(9): 279-282.

KRUMHOLZ, L. A.

1943. Notes on manatees in Florida waters. Jour. Mamm., 24(2): 272-273.

KUHL, H.

1820. Beitrage zur Zoologie und vergleichenden Anatomie.

LACEPEDE

1787. Hist. Nat. Cetaces.

1804. Hist. Nat. des Cetacees; tabl. des orders genres et especies.

LAUDONNIERE, R.

1853. Historie de Florida. Bibl. Elzevir.

LAWRENCE, BARBARA

1942. The muskrat in Florida. Proc. New England Zool. Club., 19: 17-20.

1943. Miocene bat remains from Florida, with notes on the generic characters of the humerus of bats. *Jour. Mamm.*, 24(3): 356-369, 2 figs.

LEBARON, J. FRANCIS

1880. The manatee or sea cow. Forest and Stream, 13: 1005-1006.

LECONTE, J.

1831. The animal kingdom arranged in conformity with its organization. By Baron Cuvier, and translated from the French with notes and additions. H. McMurtrie, M. D. 4 vols. Mammals in vol. 1.

1853. Descriptions of three new species of American arvicolae, with remarks on some other North American rodents. *Proc. Acad. Nat. Sci. Philadelphia*, 6: 404-415.

LEIDY, JOS.

1852. (Abstract). Proc. Acad. Nat. Sci. Philadelphia, 106, 148.

- 1858. (Abstract). Proc. Acad. Nat. Sci. Philadelphia, 10.
- 1884. Vertebrate fossils from Florida. Proc. Acad. Nat. Sci. Philadelphia, 118-119.
- 1885. Rhinoceros and Hippotherium from Florida. Proc. Acad. Nat. Sci. Philadelphia, 32-33.
- 1886a. Mastodon and llama from Florida. Proc. Acad. Nat. Sci. Philadelphia.
- 1886b. An extinct bear from Florida. Proc. Acad. Nat. Sci. Philadelphia, 37-38.
- 1886c. Caries in the mastodon. Proc. Acad. Nat. Sci. Philadelphia. 38.
- 1887. Fossil bones from Florida. Proc. Acad. Nat. Sci. Philadelphia. 309-310.
- 1889a. Fossil vertebrates from Florida. Proc. Acad. Nat. Sci. Philadelphia. 96-97.
- 1889b. Notice of some fossil human bones. Trans. Wagner Free Institute of Sci. 2: 9-12.
- 1889c. Description of mammalian remains from a rock crevice in Florida. Trans. Wagner Free Inst. Sci., 2: 13-17.
- 1889d. Description of vertebrate remains from Peace Creek, Fla. Trans. Wagner Free Inst. Sci., 2: 19-31.
- 1889e. The saber-toothed tiger of Florida. Proc. Acad. Nat. Sci. Philadelphia, 29-31.
- 1889f. Annual Report Pennsylvania Geological Survey for 1887.
- 1890a. Fossil vertebrates from Florida. Proc. Acad. Nat. Sci. Philadelphia.
- 1890b. Hippotherium and Rhinoceros from Florida. Proc. Acad. Nat. Sci. Philadelphia. 182-183.
- (List of Vertebrata from Florida.) U. S. Geol. Surv. Bull. 84, 129. 1892.

LEIDY, IOS. and F. A. LUCAS

1896. Fossil vertebrates from the Alachua Clays of Florida. Trans. Wagner Free Inst. Sci. 4: 61, 19 pls.

LESSON, RENE PRIMEVERE

1828. Histoire naturelle generale et particuliere des mammiferes et des oiseaux, decouverts depuis 1788 jusqu'a nos jours, Complement des oeuvres de Buffon complement 2, vol. 1, cetaces.

LINNAEUS, C.

1758. Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis, Edition decima, reformata. Tomus I. Regnum animale.

LOOMIS, FREDERICK B.

Artifacts associated with the remains of a columbian elephant at 1924. Melbourne, Florida. Am. Jour. Sci., 8: 503-508. figs. 1 and 2.

LUCAS, FREDERIC A.

1899. The fossil bison of North America. Proc. U. S. Nat. Mus. XXI: 755-771.

MACCURDY

- 1917a. Archaeological evidences of man's antiquity at Vero, Fla. Jour. Geol., 25: 56-62.
- 1917b. The problem of man's antiquity at Vero, Fla. Amer. Anthropologist. n.s., 19: 252-261.

MATSON, G. C. and F. G. CLAPP

A preliminary report on the geology of Florida, Ann. Rept. Florida Sta. Geol. Surv. 2: 21-173.

MATSON, GEO. C.

The phosphate deposits of Florida. Bull. 604, U. S. Geol. Surv. 1915. pl. 12.

MATTHEW, W. D.

- 1909. Fauna lists of the Tertiary Mammalia of the west. Bull. U. S. Geol. Surv. 361: 91-120. Florida Pliocene, 115-118.
- Gigantic Megatherium from Florida. (Abst.) Bull. Geol. Soc. 1917. Amer., 28: 212.
- Third contribution to the Snake Creek fauna. Bull. Amer. Mus. 1924. Nat. Hist. L: 59-210.

MAYNARD, C. J.

- 1872. Catalogue of the mammals of Florida, with notes on their habits, distribution, etc. Bull. Essex Institute, 4: 135-150.
- The mammals of Florida. Quart. Jour. Boston Zool. Soc. II(1): 1883. 1-8, (2): 17-24, (3): 38-43, (4): 49-50.

McBRIDE, ARTHUR F.

1940. Meet Mr. Porpoise. Nat. Hist. 45: 16-29.

McBRIDE, ARTHUR F. and D. O. HEBB

Behavior of the captive bottle-nosed dolphin, Tursiops truncatus. Jour. Comp. and Physiol. Psychology, 41(2): 111-123.

McBRIDE, ARTHUR F. and HENRY KRITZLER

Observations on pregnancy, parturition, and postnatal behavior in the bottlenose dolphin. Jour. Mamm., 32(3): 251-266.

McGRADY, EDWARD, H. T. KIRBY-SMITH, and HARVEY TEMPLETON New finds of Pleistocene jaguar skeletons from Tennessee caves. Proc. U. S. Nat. Mus. 101(3287): 497-511; pl. 16.

MERRIAM, C. HART.

- 1890. Revision of the genus Spilogale. N. Amer. Fauna, (4): 1-60; 3 pls., 3 figs. U. S. Dept. Agric.
- Abstract of a study of the American Wood Rats, with descriptions 1894. of fourteen new species and subspecies of the genus Neotoma. Proc. Biol. Soc. Washington, 9: 117-128.
- 1895a. Monographic revision of the pocket gophers, family Geomyidae, (exclusive of the species of Thomomys), N. Amer. Fauna, (8): 1-258, 20 pls. 71 figs.
- 1895b. Revision of the shrews of the American genera Blarina and Notiosorex. N. Amer. Fauna, (10): 1-34. U. S. Dept. Agric.

- 1895c. Synopsis of the American shrews of the genus Sorex, N. Amer. Fauna, (10): 57-98. U. S. Dept. Agric.
- 1896a. Preliminary Synopsis of the American Bears. *Proc. Biol. Soc. Washington.* 10: 65-83.
- 1896b. Synopsis of the weasels of North America. N. Amer. Fauna. (11): 1-44, 6 pls. 16 figs. U. S. Dept. Agric.
- 1898. The earliest generic name for the North American deer, with descriptions of five new species. *Proc. Biol. Soc. Washington*, 12: 99-104.
- 1901a. Preliminary revision of the pumas (Felis concolor group.) Proc. Washington Acad. Sci., 3: 577-600.
- 1901b. Synopsis of the rice rats (genus *Oryzomys*) of the United States and Mexico. *Proc. Washington Acad. Sci.*, 3: 273-295.

MILLER, GERRIT S., JR., and BANGS, OUTRAM

1894. A new rabbit from western Florida. *Proc. Biol. Soc. Washington*, 9: 105-108.

MILLER, GERRIT S., IR.

- 1895. The long-tailed shrews of the eastern United States. N. Amer. Fauna, (10): 35-56. U. S. Dept. Agric.
- 1897. Revision of the North American bats of the Family Vespertilionidae. N. Amer. Fauna, (13): 1-140, 3 pls., 40 figs., U. S. Dept. Agric.
- 1898. In Bangs, The land mammals of peninsular Florida and coast region of Georgia. *Proc. Boston Soc. Nat. Hist.*, 28: 213-218.
- 1902. Twenty new American bats. Proc. Acad. Nat. Sci. Philadelphia, LIV: Pt. 2, 389-412.
- 1903. Systematic results of the study of North American land mammals during 1901-1902. Proc. Boston Soc. Nat. Hist., 31: 61-145.
- 1907. The families and genera of bats. U. S. Nat. Mus. Bulletin 57: i-xvii and 1-282, 14 pls. 48 text figs.
- 1909. The generic name Nycteris. Proc. Biol. Soc. Washington, 22: 90.
- 1910. The generic name of the House Rats. Proc. Biol. Soc. Washington, 23: 57-60.
- 1912a. The names of two North American wolves. *Proc. Biol. Soc. Washington*: 25: 95.
- 1912b. List of North American land mammals in the United States National Museum 1911. U. S. Nat. Mus. Bull. 79.
- 1914. Directions for preparing specimens of mammals. Bull. 39 U. S. $Nat.\ Mus.\ pt.\ N$.
- 1917. A hooded seal in Florida. Proc. Biol. Soc. Washington 30: 121-124.
- 1920. American records of whales of the gneus *Pseudorca*. *Proc. U. S. Nat. Mus.*, 57: 205-207, pls. 27-31.
- 1924a. A pollack whale from Florida. Presented to the National Museum by the Miami Aquarium Association. *Proc. U. S. Nat. Mus.* 66(9): 1-15, pls. 1-22.
- 1924b. List of North American recent mammals 1923. U. S. Nat. Museum Bull. 128, 1-673.

1936. Mammals of the Florida Keys. Smithsonian Inst. Publ. 3382, 19-22.

MILLER, GERRIT S., JR. and GLOVER M. ALLEN

1928. The American bats of the genera Myotis and Pizonyx. U. S. Nat. Mus. Bull. 144.

MILLER, GERRIT S., JR. and J. A. G. RHEN

1901. Systematic results of the study of North American land mammals to the close of the year 1900. *Proc. Boston Soc. Nat. Hist.*, 30: 1-352.

MILLION, JERRY

1952. The key dee. Florida Outdoors. April, 3(4): 4-9; 4 figs.

MONTAGUE, GEORGE

1821. Description of the species of *Delphinus*, which appears to be new. *Memoirs of the Wernerian Nat. Hist. Soc.*, 3: 75-82.

MOORE, JOSEPH CURTIS

- 1943a. A contribution to the natural history of the short-tailed shrew. *Proc. Florida Acad. Sci.*, 6(3+4): 155-166.
- 1943b. Bachman's shrew east of St. Johns River, Florida. *Jour. Mamm.*, 24(3): 404-405.
- 1945. Life history notes on the Florida weasel. Proc. Florida Acad. Sci., 7(4): 247-263.
- 1946. Mammals from Welaka, Putnam County, Florida. *Jour. Mamm.*, 27(1): 49-59.
- 1947. Nests of the Florida flying squirrel. Amer. Midland Nat., 38(1): 248-253.
- 1949a. Putnam County and other Florida mammal notes. *Jour. Mamm.*, 30(1): 57-66.
- 1949b. Range extensions of two bats in Florida. Quart. Jour. Florida Acad. Sci., 11(1): 50.
- 1951a. The status of the manatee in the Everglades National Park, with notes on its life history. *Jour. Mamm.*, 32(1): 22-36.
- 1951b. The range of the Florida manatee. Quart. Jour. Florida Acad. Sci., 14(1): 1-19, 1 fig.
- 1951c. Additional incident of crow attack on rabbit. *Jour. Mamm.*, 32(2): 223.

MULLER, P. L. S.

1776. Des Ritters Carl von Linne Vollstandiges Natursystem, 1-VI und suppl.

NEAL, L. C.

1885. Discovery of another bed of fossil bones in the Alachua Clays. Communicated by Jos. Leidy. *Proc. Philadelphia Acad. Nat. Sci.*, Mar. 24, 1885. Also reported in *Amer. Nat.*, 19: 1-8, 1885.

NELSON, E. W.

1909. The rabbits of North America. N. Amer. Fauna, (29): 1-314; 13 pls., 19 figs., U. S. Dept. Agric.

- 1916. Nov. The larger North American mammals. Nat. Geog. Mag., XXX(5): 385-472.
- 1918. May. Smaller mammals of North America. Nat. Geog. Mag., XXXIII(5): 371-493.
- 1930. Four new raccoons from the keys of southern Florida. Smiths. Misc. Coll., 82(8): 1-12, pl. I-V.

NELSON, E. W. and E. A. GOLDMAN

1929. List of the pumas, with three described as new. Jour. Mamm., 10(4): 345-350.

NELSON, N. C.

1918. Additional studies in the Pleistocene at Vero, Florida. Sci., n.s. 47: 394-395.

NICKLES, JOHN M.

- 1923. Geologic literature on North America, 1785-1918. Part 1. Bibliography. U. S. Geol. Surv. Bull. 746: 1-1167.
- 1924. Geologic literature on North America, 1785-1918. Part II. Index. U. S. Geol. Surv. Bull. 747: 1-658.

NORMAN, J. R. and F. C. FRASER

- 1938. Giant fishes, whales and dolphins. N. W. Norton and Co., Inc., N. Y.
- 1949. Fieldbook of giant fishes, whales and dolphins. G. P. Putnam's Sons, N. Y.

ORD, GEORGE

1818. Sur une nouvelle espece de rongeur de la Floridae. Bull. Soc. Philom. Paris. 181-182.

OSGOOD, WILFRED H.

1909. Revision of the mice of the American genus *Peromyscus. N. Amer. Fauna*, (28): 1-285, 8 pl., 12 figs., U. S. Dept. Agric.

OSBORN, H. F.

- 1904. New Miocene rhinoceros with revision of known species. *Bull. Amer. Mus. Nat. Hist.*, 20: 307-326.
- 1909. Cenozoic mammal horizons of western North America. Bull. U. S. Geol. Surv. 361: 1-90.
- 1910. The Age of Mammals in Europe, Asia and North America. N. Y.
- 1918. Equidae of the Oligocene, Miocene and Pliocene of North America, iconographic type revision. Mem. Amer. Mus. Nat. Hist. N. S. II: 1-227.
- 1923. New subfamily generic, and specific stages in the evolution of the Proboscidea. *Amer. Mus. Novitates*, (99).
- 1926. Additional new genera and species of the mastodontoid Proboscidea, *Amer. Mus. Novitates*, (238).
- 1927. Additional new genera and species of the mastodontoid Proboscidea, *Amer. Novitates*, (238), 1-16.
- 1929. New Eurasiatic and American proboscideans. Amer. Mus. Novitates, (393).

1930. Parelephas floridanus from the upper Pleistocene of Florida compared with P. jeffersonni. Amer. Mus. Novitates, (443).

1934. Evolution and geographic distribution of the Proboscidea; Moeritheres, Deinotheres and Mastodonts, *Jour. Mamm.*, 15(3): 177-184.

OSBORN, H. F. and J. L. WORTMAN.

1894. Fossil mammals of the Lower Miocene white river beds. Collection of 1892. Bull. Amer. Mus. Nat. Hist., 6(7): 199-228. 8 figs., 3 pls.

OWEN, RICHARD

1842. Description of the skeleton of an extinct gigantic sloth, *Mylodon robustus*, Owen, with observations on the osteology, natural affinities, and probable habits of the megatherioid quadrupeds in general. *Royal College of Surgeons of England*. 1-176, 24 pl., London.

1846. British fossil mammals and birds. London.

PARKER, G. H.

1922. The breathing of the Florida manatee. Jour. Mamm., 33: 127-135.

PEARSON, PAUL G.

1951. A note on the food habits of captive shrews, Cryptotis floridana. Jour. Florida Acad. Sci., 14(1): 49-50.

PETERS, W.

1864. Ueber neue Artender saugethier-Gattungen Geomys, Haplodon, and Dasypus. Monatsber. Acad. Wiss. Berlin. 177-180.

POURNELLE, GEORGE H.

1950a. Mammals of a north Florida swamp. Jour. Mamm., 31(3): 310-321.

1950b. Two new mammal records from the vicinity of Welaka, Putnam County, Florida. *Jour. Mamm.*, 31(3): 361-362.

1952. Reproduction and early post-natal development of the cotton mouse, *Peromyscus gossypinus gossypinus. Jour. Mamm.*, 33(1): 1-20, 1 pl., 4 tables.

RAFINESQUE, C. S.

1814. Precis des Decouv. et tray. somiologiques. 13.

1817. Description of seven new genera of North American quadrupeds. Amer. Monthly Mag., 2: 44-46.

1818. Further discoveries in natural history, made during a journey through the western states. Amer. Monthly Mag., 3: 445-446.

RAND, A. L. and PER HOST

1942. Mammal notes from Highland County, Florida. Results of the Archbold Expeditions. no. 45, *Bull. Amer. Mus. Nat. Hist.*, LXXX: Art. 1; 1-21.

RATCLIFFE, H. L.

1942. Autopsy of a male pygmy sperm whale (Kogia breviceps). Notulae Naturae Philadelphia, 112: 1-4.

RHOADS, S. N.

1894. Contributions to the mammalogy of Florida. *Proc. Acad. Nat. Sci.* Philadelphia, 152-161.

- 1895a. Descriptions of new mammals from Florida and southern California.

 *Proc. Acad. Nat. Sci. Philadelphia, 32-37.
- 1895b. New subspecies of the gray fox and Say's chipmunk. *Proc. Acad. Nat. Sci. Philadelphia*, 42-44.
- 1895c. A new harvest mouse from Florida. Amer. Nat., 29: 589-590.
- 1897. A new southeastern race of the little brown bat. *Proc. Acad. Nat. Sci. Philadelphia*, 227-228.
- 1898. A contribution to a revision of the North American beavers, otters, and fishers. *Trans. Amer. Philos. Soc.*, n.s., 19: 417-439.
- 1902. On the common brown bats of peninsular Florida and southern California. *Proc. Acad. Nat. Sci. Philadelphia.* LIII: part III; 618-619.

RICKARD, E. R. and C. BROOKE WORTH

1951. Complement-fixation tests for murine typhus on the sera of wild-caught cotton rats of Florida. *Amer. Jour. Hygiene*, 52(3): 332-336.

ROMER, ALFRED SHERWOOD

1948. The fossil mammals of Thomas Farm, Gilchrist County, Florida. Jour. Florida Acad. Sci., 10(1): 1-11.

RUTTY

1772. Essay Natural History. County Dublin. 1.

SAFFORD, W. E.

1919. Natural history of Paradise Key and the nearby Everglades of Florida. *Ann. Rept. Smiths. Inst. for 1917*, 377-434, 64 pls., 32 text figs. Mammals discussed 423-424.

SAVAGE, DONALD F.

1951. Late Cenozoic vertebrates of the San Francisco Bay region. *Univ. California Pub. Geol.* 28(10): 215-314, 51-195.

SAY, THOMAS

1823. Account of an expedition from Pittsburgh to the Rocky Mountains, performed in the years 1819 and '20, under the command of Major Stephen H. Long. Compiled by Edwin James. 2 vols. Philadelphia.

SAY, THOMAS and GEORGE ORD

1825. Description of a new species of Mammalia, whereupon a genus is proposed to be founded. *Jour. Acad. Nat. Sci. Philadelphia.* 4: 352-355.

SCHOLANDER, P. F., and LAWRENCE IRVING

1941. Experimental investigations on the respiration and diving of the Florida Manatee. *Jour. Cell. Comp. Physiol.*, 17: 169-191, 15 figs.

SCHREBER, J. C. D. VON.

1776. Die Saughthier in Abbildungen nach der Natur mit Beschreibungen. Sweiter Theil.

SCHWARTZ, ALBERT

1949. A second specimen of Mustela vison evergladensis Hamilton. Jour. Mamm., 30(3): 315-316.

- 1951. A new race of bat (Nycticeius humeralis) from southern Florida. Jour. Mamm., 32(2): 233-234.
- 1952. A new race of the round-tailed muskrat, Neofiber alleni, from southern Florida. Nat. Hist. Miscellaneous. (101): 1-3.

SCHWARTZ, ERNST and HENRIETTE K. SWARTZ.

1943. The wild and commensal stocks of the house mouse, Mus. musculus Linnaeus. Jour. Mamm., 24(1): 59-72.

SCOTT, W. B.

1913. A history of the land mammals of the Western Hemisphere. N. Y.

SELLARDS, E. H.

- 1910. A preliminary paper on the Florida phosphate deposits. Ann. Rept. Florida Sta. Geol. Surv. III: 17-41.
- 1913. Origin of the hard rock phosphates of Florida. 5th Ann. Rept. Florida Sta. Geol. Surv. 23-80. Pls. 1-9, 2 maps.
- 1914. The relation between the Dunnellon formation and the Alachua clays of Florida. 5th Ann. Rept. Florida Sta. Geol. Surv. 161-162.
- 1915a. The pebble phosphates of Florida. 7th Ann. Rept. Florida Sta. Geol. Surv. 25-116.
- 1915b. Chlamytherium septentrionalis, an edentate from the Pleistocene of Florida. Amer. Jour. Sci. 40: 139-145, figs. 1-6.
- 1916a. Fossil vertebrates from Florida: a new Miocene fauna: new Pliocene species; the Pleistocene fauna. 8th Ann. Rept. Florida Geol. Surv., 78-119; pls. 10-14.
- 1916b. Human remains and associated fossils from the Pleistocene of Florida. 8th Ann. Rept. Florida Sta. Geol. Surv. 122-160. Textfigures 1-5, plates 15-31.

SHADLE, ALBERT R.

1931. A new factor in the destruction of mammals. Zeitshrift fur Saugetierkunde, 6(2): 1-15.

SHAMEL, H. HAROLD

1931. Notes on the American bats of the genus *Tadarida*. *Proc. U. S. Nat. Mus.* 6(2): 1-15.

SHERMAN, H. B.

- 1928. A Florida record of Sorex longirostris. Jour. Mamm., 9(2): 148.
- 1929. Notes on Florida mammals. Jour. Mamm., 10(3): 258-259.
- 1930. Birth of the young of Myotis austroriparius. Jour. Mamm. 11(4): 495-503.
- 1934. The occurrence of Myotis grisescens in Florida. Jour. Mamm. 15(2): 156.
- 1935. Food habits of the Seminole bat. Jour. Mamm., 16(3): 224.
- 1937a. Breeding habits of the free-tailed bat. Jour. Mamm., 18(2): 176-187.
- 1937b. List of the recent wild land mammals of Florida. Proc. Florida Acad. Sci. 1, 102-128.
- 1939. Notes on the food of some Florida bats. *Jour. Mamm.*, 20(1): 103-104.
- 1943. The armadillo in Florida. Florida Ent., 26(4): 55-59.

- 1944. A new subspecies of Geomys from Florida. Proc. New England Zool. Club. 23: 37-40.
- 1945a. The Florida yellow bat, Dasypterus floridanus. Proc. Florida Acad. Sci. 7(2-3): 193-197.
- 1945b. Recent literature and some new distribution records concerning Florida mammals. *Proc. Florida Acad. Sci.*, 7(2-3): 199-202.
- 1948. A nest of Cryptotis floridana. Jour. Florida Acad. Sci., 10(2-3): 101-102.
- 1951. Aberrant color phases of the cotton rat, Sigmodon. Jour. Mamm., 32(2): 217.

SHILLINGER, J. E.

1938. Deer in relation to fever tick eradication in Florida. Trans. 3rd N. Amer. Wildlife Conf., 882-885.

SIMPSON, G. G.

- 1928. Pleistocene mammals from a cave in Citrus County, Florida.

 Amer. Mus. Novitates, 328: 1-16.
- 1929a. The extinct land mammals of Florida. 20th Ann. Rept. Florida Sta. Geol. Surv. 229-279.
- 1929b. Hunting extinct animals in Florida. Nat. Hist., 29(5): 506-518.
- 1929c. Pleistocene mammalian fauna of the Seminole Field, Pinellas County, Florida. Bull. Amer. Mus. Nat. Hist., 56(8): 561-599.
- 1930a. Sea Sirens. Nat. Hist., 30(1): 40-47.
- 1930b. Additions to the Pleistocene of Florida. Amer. Mus. Novitates, (406): 1-14; 7 figs.
- 1930c. Holmesina septentrionalis, extinct giant armadillo of Florida. Amer. Mus. Novitates, (442). 1-19, 5 figs.
- 1930d. Tertiary land mammals of Florida. Bull. Amer. Mus. Nat. Hist., 59: 149-211, 31 figs.
- 1932a. Fossil Sirenia of Florida and the evolution of the Sirenia. *Bull. Amer. Mus. Nat. Hist.*, 59: 419-503.
- 1932b. Miocene land mammals from Florida. Florida Sta. Geol. Surv. Bull. 10. 7-41, 23 figs.
- 1935. Note on the classification of recent and fossil opossums. *Jour. Mamm.*, 16(2): 134-137.
- 1941. Large Pleistocene felines of North America. Amer. Mus. Novitates, (1136), 1-27, 11 figs.
- 1945a. Notes on Pleistocene and recent tapirs. Bull. Amer. Mus. Nat. Hist., 86(2): 31-81, pls. 5-10.
- 1945b. The principles of classification and a classification of mammals. Bull. Amer. Mus. Nat. Hist., 85: i-xvi, 1-350.

SKINNER, MORRIS F. and OVE C. KAINSEN

1947. The fossil bison of Alaska and preliminary revision of the genus. Bull. Amer. Mus. Nat. Hist., 89(3): 127-256, 25 tables, 5 figs., pls. 8-26, 3 maps.

SMALL, JOHN K.

1923. Green deserts and dead gardens. Jour. New York Bot. Garden. 24:193-247.

SMITH, CLARENCE F.

1938. Nest of Cryptotis floridana. Jour. Mamm., 19(3): 372-373.

SPRINGER, STEWART

1937. Observations on Cryptotis floridana in captivity. Jour. Mamm., 18(2): 237-238.

STEARNS, F. H.

1918. The Pleistocene man at Vero, Florida: a summary of the evidence of man's antiquity in the New World. Sci. Amer. Suppl., 85: 354-355.

STEWART, T. DALE

A re-examination of the fossil human skeletal remains from Melbourne, Florida, with further data on the Vero skull. Smiths. Misc. Coll., 106: 1-28, 7 figs., 8 pls.

STIRTON, R. A.

1940. Phylogeny of North American Equidae. Univ. California Pub. Geol., 25: 165-198, 52 figs., 1 chart.

STODDARD, HERBERT

1932. The bobwhite quail, its habits, preservation and increase. Chas. Scribner's Sons, New York.

STODDARD, HERBERT and E. V. KOMAREK

1941. Predator control in southeastern quail management. Trans. 6th N. Amer. Wildlife Conf., 290-293.

SUMNER, FRANCIS B.

1926. An analysis of geographic variation in mice of the Peromyscus polionotus group from Florida and Alabama. Jour. Mamm., 7(3): 149-184.

Genetic, distributional, and evolutionary studies of the subspecies 1932. of deer mice (Peromyscus). Bibliographica Genetica IX. The Hague.

SUMNER, FRANCIS B. and J. J. KAROL

1929. Notes on the burrowing habits of Peromyscus polionotus. Jour. Mamm., 10(3): 213-215, pl. 17.

SWANTON, JOHN R.

1941. Occurrence of bison in Florida. Jour. Mamm., 22(3): 322.

THOMAS, OLDFIELD

Notes on various American mammals. Ann. and Mag. Nat. Hist., ser. 7, 2: 318-320.

TOWNSEND, C. H.

1935. The distribution of certain whales as shown by log-book records of American whale ships. New York Zool. Soc.

TRUE, FREDERICK W.

1884a. A muskrat with a round tail. Science, 4: 34.

1884b. The sirenians or sea cows. The Fisheries and Fisheries Industries of the United States, Sect. 1: 114-128.

- 1885. On a new muskrat, Neofiber alleni from Florida. Proc. U. S. Nat. Mus. 7: 170-172.
- 1896. A revision of the American moles. *Proc. U. S. Nat. Mus.*, 19: 1-111, 4 pls.
- 1904. The whalebone whales of the western North Atlantic compared with those occurring in European waters with some observations of the species of the North Atlantic. Smiths. Contr. 33.
- 1907. On the occurrence of the remains of fossil cetaceans of the genus Schizodelphis in the United States, and on Priscodelphinus (?) crassangulum Case. Smiths. Mis. Coll. 50 Separate no. 1782.
- 1908. On the classification of the Cetacea. Proc. Amer. Philos. Soc. 47: 385-391.
- 1913. Diagnosis of a new beaked whale of the genus *Mesoplodon* from the coast of North Carolina. *Smiths. Mis. Coll.*, 60(25): Separate no. 2172.

ULMER, FRED A.

- 1941a. Mesoplodon mirus in New Jersey, with additional notes on the New Jersey M. densirostris, and a list and key to the ziphoid whales of the Atlantic Coast of North America. Proc. Acad. Nat. Sci. Philadelphia, 93: 107-122, pls. 20-21.
- 1941b. Melanism in the Felidae, with special reference to the genus Lynx. Jour. Mamm., 22(3): 285-288.
- 1947. A second Florida record of Mesoplodon europeas. Jour. Mamm., 28(2): 184-185.

VAN HYNING, O. C.

1931. The house cat as a collector of mammals. Jour. Mamm., 12(2): 154.

WAGNER, A.

1843. Diagnoses neuer Arten brasilischer Handflugler. Wiegmann's Arch. f. Naturg. IX, 2: 365.

WALKER, SAMUEL T.

1884. On the origin of the fossil bones discovered in the vicinity of Tise's Ford, Florida. *Proc. U. S. Nat. Mus.*, 6: 427-428.

WHITE, THEODORE E.

- 1940. New Miocene Vertebrates from Florida. *Proc. New England Zool. Club.* XVIII: 31-38.
- 1941a. An additional record of Megatherium from the Pliocene of Florida.

 Proc. New England Zool. Soc. XIX: 3-6.
- 1941b. Additions to the fauna of the Florida Pliocene. *Proc. New England Zool. Club.* XVIII: 67-70.
- 1941c. Additions to the Miocene fauna of Florida. *Proc. New England Zool. Club.* XVIII: 91-98.
- 1942a. Additions to the fauna of the Florida phosphates. Proc. New England Zool. Club. XXI: 87-91.
- 1942b. The lower Miocene mammal fauna of Florida. Harvard Univ., Bull. Mus. Comp. Zool., 92(1): 1-14, 14 pls.

126

1947. Additions to the Miocene fauna of north Florida. Bull. Mus. Comp. Zool., 99(4): 497-515.

WIELAND, GEORGE REBER

1918. The vero man and the Sabre tooth. Sci. n.s. 48: 93-94.

WILEY, GORDON R.

1949. Excavations in southeast Florida. Yale Univ. Publs. Anthrop. 42: 1-137.

WILLIAMS, GREER

1950. Practical joker of the high seas. Saturday Evening Post, Oct. 7, 32-33, 169-172.

WOOD, ALBERT E.

- 1932. New heteromyoid rodents from the Miocene of Florida. Florida Sta. Geol. Surv., (10): 45.
- 1947. Miocene rodents from Florida. *Bull. Mus. Comp. Zool.*, 99(3): 487-494, 1 pl.

WORTH, C. BROOKE

- 1950. Field and Laboratory observations on roof rats, *Rattus rattus* (Linnaeus) in Florida. *Jour. Mamm.*, 31(3): 293-304.
- 1950a. House mice and commensal rats in relation to the dissemination of rat fleas. *Amer. Jour. Trop. Medicine.* 30(6): 917-920.
- 1950b. Observations on the behavior and breeding of captive rice rats and woodrats. *Jour. Mamm.*, 31(4): 421-426.
- 1950c. Observations on ectoparasites of some small mammals in Everglades National Park and Hillsborough County, Florida. *Jour. Parasitology*, 36(4): 326-335.
- 1950d. A preliminary host-parasite register for some small mammals of Florida. *Jour. Parasitology*, 36(5): 1-2.

WORTMAN

1898. The extinct Camelidae of North America and some associated forms. Bull. Amer. Mus. Nat. Hist., 10: 93-142, 23 figs., 1 pl.

YOUNG, STANLEY P. and E. A. GOLDMAN

- 1944. The wolves of North America. The American Wildlife Institute, Washington, D. C., 1-636, 15 figs. 131 pls.
- 1946. The puma, mysterious American cat. The American Wildlife Institute, Washington, D. C., 1-358, 93 pls., 6 figs.